

ANALYSIS	Specification	Method/Reference	SAMPLE FREQUENCY	Result
Identity	Complied with Ingredient Specs/Formula	FT-IR Spectra	055102606086	Matches with the Standard
Label Claim specification (S)	Spec	Method/Reference	SAMPLE FREQUENCY	Result
Creatine Monohydrate	>/=5g	HPLC	Every Lot	5.19g/serving

Heavy Metals:

TEST	LIMIT	TEST REFERENCE	SAMPLE FREQUENCY	RESULT
Lead	≤0.05 ppm	ICP-MS	Every Lot	ND
Mercury	≤0.02 ppm	ICP-MS	Every Lot	ND
Arsenic	≤0.05 ppm	ICP-MS	Every Lot	ND
Cadmium	≤0.05 ppm	ICP-MS	Every Lot	ND

MICROBIOLOGICAL ANALYSIS:

TEST	LIMIT	TEST REFERENCE	SAMPLE FREQUENCY	RESULT
Total Plate Count	<100cfu/g	Light Labs (USP 2022)	Every Lot	<10cfu/g
Total Yeast & Mold	<50cfu/g	Light Labs (USP 2022)	Every Lot	<10cfu/g
E-Coli	Absent/10g	Light Labs (USP 2022)	Every lot	Absent/10g
Staph Aureus	Absent/10g	Light Labs (USP 2022)	Every Lot	Absent/10g
Salmonella	Absent/10g	Light Labs (USP 2022)	Every Lot	Absent /10g

Allergens	Spec	Method/Reference	SAMPLE FREQUENCY	Result
Gluten	<20ppm	Gluten Tox Pro	Every Lot	<20ppm