

**Customer:** Momentous  
**Product Name:** Collagen Shot - Orange Mango  
**Packaging Lot No.:** 5171

**Date of Manufacture:** 6/20/25  
**Expiration Date:** 6/20/2026

| ANALYSIS                      | Specification Limits             | Units   | Results       | Test Method                | Lab |
|-------------------------------|----------------------------------|---------|---------------|----------------------------|-----|
| <b><u>SENSORY</u></b>         |                                  |         |               |                            |     |
| <b>COLOR</b>                  | Pale gold to reddish orange      | NA      | Conforms      | Organoleptic               | 1   |
| <b>FLAVOR/AROMA</b>           | Tart orange citrus               | NA      | Conforms      | Organoleptic               | 1   |
| <b>APPEARANCE/TEXTURE</b>     | Transparent to translucent syrup | NA      | Conforms      | Organoleptic               | 1   |
| <b><u>MICROBIOLOGICAL</u></b> |                                  |         |               |                            |     |
| <b>Total Plate Count</b>      | <10,000                          | CFU/g   | None Detected | USP <2021>                 | 2   |
| <b>Coliforms</b>              | ≤100                             | CFU/g   | None Detected | AOAC 991.14                | 2   |
| <b>E. coli</b>                | Absent                           | per 10g | None Detected | USP <2022>                 | 2   |
| <b>Salmonella</b>             | Absent                           | per 10g | Absent        | USP <2022>                 | 2   |
| <b>Yeast / Mold</b>           | <1,000                           | CFU/g   | None Detected | AOAC 2014.05               | 2   |
| <b>Staphylococcus aureus</b>  | Absent                           | per 10g | Absent        | USP <2022>                 | 2   |
| <b><u>CHEMICAL:</u></b>       |                                  |         |               |                            |     |
| <b>Vitamin C</b>              | Report Value                     | mg/serv | 17            | HPLC                       | 3   |
| <b>Protein</b>                | Report Value                     | g/serv  | 9.05          | Protein                    | 3   |
| <b><u>PHYSICAL</u></b>        |                                  |         |               |                            |     |
| <b>Density</b>                | Report Value                     | g/ml    | 1.19          | Gravimetric, QA-05-03-005  | 1   |
| <b>Gluten</b>                 | < 20                             | ppm     | < 20          | GlutenToxPro, AOAC #061502 | 1   |
| <b>pH</b>                     | < 4.20                           | NA      | 4.16          | pH meter, AOAC 981.12      | 1   |
| <b>Brix</b>                   | Report Value                     | %       | 60.57         | Refractometer, AOAC 932.12 | 1   |