

Customer: Momentous
Product Name: Collagen Shot - Orange Mango
Packaging Lot No.: 5176

Date of Manufacture: 6/25/25
Expiration Date: 6/25/2026

ANALYSIS	Specification Limits	Units	Results	Test Method	Lab
<u>SENSORY</u>					
COLOR	Pale gold to reddish orange	NA	Conforms	Organoleptic	1
FLAVOR/AROMA	Tart orange citrus	NA	Conforms	Organoleptic	1
APPEARANCE/TEXTURE	Transparent to translucent syrup	NA	Conforms	Organoleptic	1
<u>MICROBIOLOGICAL</u>					
Total Plate Count	<10,000	CFU/g	None Detected	USP <2021>	2
Coliforms	≤100	CFU/g	None Detected	AOAC 991.14	2
E. coli	Absent	per 10g	None Detected	USP <2022>	2
Salmonella	Absent	per 10g	Absent	USP <2022>	2
Yeast / Mold	<1,000	CFU/g	None Detected	AOAC 2014.05	2
Staphylococcus aureus	Absent	per 10g	Absent	USP <2022>	2
<u>CHEMICAL:</u>					
Vitamin C	Report Value	mg/serv	29	HPLC	3
Protein	Report Value	g/serv	9.08	Protein	3
<u>PHYSICAL</u>					
Density	Report Value	g/ml	1.16	Gravimetric, QA-05-03-005	1
Gluten	< 20	ppm	< 20	GlutenToxPro, AOAC #061502	1
pH	< 4.20	NA	4.15	pH meter, AOAC 981.12	1
Brix	Report Value	%	60.59	Refractometer, AOAC 932.12	1